ELSEVIER

Brain Research 777 (1997) 256–257

BRAIN RESEARCH

Author Index

Ahlemeyer, B. and Krieglstein, J.
Stimulation of 5-HT_{1A} receptor inhibits apoptosis induced by serum deprivation in cultured neurons from chick embryo (777) 179
Amaya, F., see Tanaka, M. (777) 13
Araujo, D.M., see Lapchak, P.A. (777) 153

Berman, Y., see Nicot, A. (777) 60
Birch, P.J., see Young, M.R. (777) 161
Birkenmeier, G., see Thal, D.R. (777) 223
Blackburn-Munro, G., see Young, M.R. (777) 161
Blom, M.A.A., Van Twillert, M.G.H., De Vries, S.C., Engels, F., Finch, C.E., Veerhuis, R. and Eikelenboom, P.
NSAIDS inhibit the IL-1β-induced IL-6 release from human post-mortem astrocytes: the involvement of prostaglandin E_2 (777) 210
Boulant, J.A., see Burgoon, P.W. (777) 31
Bountra, C., see Young, M.R. (777) 161
Burgoon, P.W., Burry, R.W. and Boulant, J.A.
Neuronal thermosensitivity and survival of rat hypothalamic slices in recording chambers (777) 31
Burry, R.W., see Burgoon, P.W. (777) 31

Camarasa, J., see Camins, A. (777) 69
Camins, A., Sureda, F.X., Gabriel, C., Pallàs, M., Escubedo, E. and Camarasa, J.
Modulation of neuronal mitochondrial membrane potential by the NMDA receptor: role of arachidonic acid (777) 69
Car, M., see Ostojić, Z.S. (777) 86
Carr, K.D., see Nicot, A. (777) 60
Chavez, M., see Van Dijk, G. (777) 147
Chen, M.J., see Queen, S.A. (777) 42
Cooper, J.M., see Seaton, T.A. (777) 110
Courtemanche, R., Sun, G.-D. and Lamarre, Y.
Movement-related modulation across the receptive field of neurons in the primary somatosensory cortex of the monkey (777) 170
Cuvelier, L., see Dassesse, D. (777) 187

Dachir, S., Schmidt, B. and Levy, A.
Effects of metrifonate on radial arm maze acquisition in middle-aged rats (777) 251
Dafny, N., see Gaytan, O. (777) 1
Dassesse, D., Hemmens, B., Cuvelier, L. and Résibois, A.
GTP-cyclohydrolase-I like immunoreactivity in rat brain (777) 187
De Groote, C., see Van Dijk, G. (777) 147
Demura, H., see Yamauchi, N. (777) 140
Depoortere, I., Van Assche, G. and Peeters, T.L.
Distribution and subcellular localization of motilin binding sites in the rabbit brain (777) 103
De Vries, S.C., see Blom, M.A.A. (777) 210
Dickinson, T., see Young, M.R. (777) 161
Dong-Ryul, L., Kondo, H., Furukawa, S. and Nakano, K.
Stimulation of NGF production by tryptophan and its metabolites in cultured mouse astroglial cells (777) 228

Eikelenboom, P., see Blom, M.A.A. (777) 210
Ekinci, A.C., see Özer, H. (777) 51
Engels, F., see Blom, M.A.A. (777) 210
Escubedo, E., see Camins, A. (777) 69

Feeney, D.M., see Queen, S.A. (777) 42
Finch, C.E., see Blom, M.A.A. (777) 210
Fleetwood-Walker, S.M., see Young, M.R. (777) 161
Furukawa, S., see Dong-Ryul, L. (777) 228

Gabriel, C., see Camins, A. (777) 69
Gaytan, O., Ghelani, D., Martin, S., Swann, A. and Dafny, N.
Methylphenidate: diurnal effects on locomotor and stereotypic behavior in the rat (777) 1
Germano, I.M. and Sperber, E.F.
Increased seizure susceptibility in adult rats with neuronal migration disorders (777) 219
Ghelani, D., see Gaytan, O. (777) 1

Hashino, E., Shero, M. and Salvi, R.J.
Lysosomal targeting and accumulation of aminoglycoside antibiotics in sensory hair cells (777) 75
Hayashi, S., see Tanaka, M. (777) 13
Hayashi, Y., see Tanaka, J. (777) 237
Hemmens, B., see Dassesse, D. (777) 187
Hilt, D.C., see Lapchak, P.A. (777) 153
Hisa, Y., see Tanaka, M. (777) 13

Ibata, Y., see Tanaka, M. (777) 13
Iijima, N., see Tanaka, M. (777) 13
Ikeda, T., see Tanaka, M. (777) 13
Itakura, T., see Nakao, N. (777) 202

Jiao, S., see Lapchak, P.A. (777) 153

Kerr, R., see Pollock, R. (777) 22
Kits, K.S., see Van Tol-Steye, H. (777) 119
Kobayashi, M., Ohno, M., Shibata, S., Yamamoto, T. and Watanabe, S.
Concurrent blockade of β-adrenergic and muscarinic receptors suppresses synergistically long-term potentiation of population spikes in the rat hippocampal CA1 region (777) 242
Kondo, H., see Dong-Ryul, L. (777) 228
Krieglstein, J., see Ahlemeyer, B. (777) 179

Lamarre, Y., see Courtemanche, R. (777) 170
Lapchak, P.A., Araujo, D.M., Hilt, D.C., Sheng, J. and Jiao, S.
Adenoviral vector-mediated GDNF gene therapy in a rodent lesion model of late stage Parkinson's disease (777) 153
Leibowitz, K.L., see Wang, J. (777) 231
Levy, A., see Dachir, S. (777) 251
Lodder, J.C., see Van Tol-Steye, H. (777) 119

Martin, S., see Gaytan, O. (777) 1
Maxwell, D.J., see Pollock, R. (777) 22
Miura, M., see Sugama, S. (777) 95

Nakai, K., see Nakao, N. (777) 202
Nakano, K., see Dong-Ryul, L. (777) 228
Nakao, N., Nakai, K. and Itakura, T.
Metabolic inhibition enhances selective toxicity of L-DOPA toward mesencephalic dopamine neurons in vitro (777) 202
Nicot, A., Ogawa, S., Berman, Y., Carr, K.D. and Pfaff, D.W.
Effects of an intrahypothalamic injection of antisense oligonucleotides for pre-proenkephalin mRNA in female rats: evidence for opioid involvement in lordosis reflex (777) 60
Nomura, M., see Tanaka, J. (777) 237

Ogawa, S., see Nicot, A. (777) 60
Ohno, M., see Kobayashi, M. (777) 242
Okada, J., see Sugama, S. (777) 95
Ostojić, Z.S., Ruždijić, S., Car, M., Rakić, L. and Veskov, R.
The connection between absence-like seizures and hypothermia induced by penicillin: possible implication on other animal models of petit mal epilepsy (777) 86
Özer, H., Ekinci, A.C. and Starr, M.S.
Dopamine D_1- and D_2-dependent catalepsy in the rat requires functional NMDA receptors in the corpus striatum, nucleus accumbens and substantia nigra pars reticulata (777) 51

ELSEVIER

Brain Research 777 (1997) 256–257

BRAIN RESEARCH

Author Index

Ahlemeyer, B. and Krieglstein, J.
Stimulation of 5-HT_{1A} receptor inhibits apoptosis induced by serum deprivation in cultured neurons from chick embryo (777) 179
Amaya, F., see Tanaka, M. (777) 13
Araujo, D.M., see Lapchak, P.A. (777) 153

Berman, Y., see Nicot, A. (777) 60
Birch, P.J., see Young, M.R. (777) 161
Birkenmeier, G., see Thal, D.R. (777) 223
Blackburn-Munro, G., see Young, M.R. (777) 161
Blom, M.A.A., Van Twillert, M.G.H., De Vries, S.C., Engels, F., Finch, C.E., Veerhuis, R. and Eikelenboom, P.
NSAIDS inhibit the IL-1β-induced IL-6 release from human post-mortem astrocytes: the involvement of prostaglandin E_2 (777) 210
Boulant, J.A., see Burgoon, P.W. (777) 31
Bountra, C., see Young, M.R. (777) 161
Burgoon, P.W., Burry, R.W. and Boulant, J.A.
Neuronal thermosensitivity and survival of rat hypothalamic slices in recording chambers (777) 31
Burry, R.W., see Burgoon, P.W. (777) 31

Camarasa, J., see Camins, A. (777) 69
Camins, A., Sureda, F.X., Gabriel, C., Pallàs, M., Escubedo, E. and Camarasa, J.
Modulation of neuronal mitochondrial membrane potential by the NMDA receptor: role of arachidonic acid (777) 69
Car, M., see Ostojić, Z.S. (777) 86
Carr, K.D., see Nicot, A. (777) 60
Chavez, M., see Van Dijk, G. (777) 147
Chen, M.J., see Queen, S.A. (777) 42
Cooper, J.M., see Seaton, T.A. (777) 110
Courtemanche, R., Sun, G.-D. and Lamarre, Y.
Movement-related modulation across the receptive field of neurons in the primary somatosensory cortex of the monkey (777) 170
Cuvelier, L., see Dassesse, D. (777) 187

Dachir, S., Schmidt, B. and Levy, A.
Effects of metrifonate on radial arm maze acquisition in middle-aged rats (777) 251
Dafny, N., see Gaytan, O. (777) 1
Dassesse, D., Hemmens, B., Cuvelier, L. and Résibois, A.
GTP-cyclohydrolase-I like immunoreactivity in rat brain (777) 187
De Groote, C., see Van Dijk, G. (777) 147
Demura, H., see Yamauchi, N. (777) 140
Depoortere, I., Van Assche, G. and Peeters, T.L.
Distribution and subcellular localization of motilin binding sites in the rabbit brain (777) 103
De Vries, S.C., see Blom, M.A.A. (777) 210
Dickinson, T., see Young, M.R. (777) 161
Dong-Ryul, L., Kondo, H., Furukawa, S. and Nakano, K.
Stimulation of NGF production by tryptophan and its metabolites in cultured mouse astroglial cells (777) 228

Eikelenboom, P., see Blom, M.A.A. (777) 210
Ekinci, A.C., see Özer, H. (777) 51
Engels, F., see Blom, M.A.A. (777) 210
Escubedo, E., see Camins, A. (777) 69

Feeney, D.M., see Queen, S.A. (777) 42
Finch, C.E., see Blom, M.A.A. (777) 210
Fleetwood-Walker, S.M., see Young, M.R. (777) 161
Furukawa, S., see Dong-Ryul, L. (777) 228

Gabriel, C., see Camins, A. (777) 69
Gaytan, O., Ghelani, D., Martin, S., Swann, A. and Dafny, N.
Methylphenidate: diurnal effects on locomotor and stereotypic behavior in the rat (777) 1
Germano, I.M. and Sperber, E.F.
Increased seizure susceptibility in adult rats with neuronal migration disorders (777) 219
Ghelani, D., see Gaytan, O. (777) 1

Hashino, E., Shero, M. and Salvi, R.J.
Lysosomal targeting and accumulation of aminoglycoside antibiotics in sensory hair cells (777) 75
Hayashi, S., see Tanaka, M. (777) 13
Hayashi, Y., see Tanaka, J. (777) 237
Hemmens, B., see Dassesse, D. (777) 187
Hilt, D.C., see Lapchak, P.A. (777) 153
Hisa, Y., see Tanaka, M. (777) 13

Ibata, Y., see Tanaka, M. (777) 13
Iijima, N., see Tanaka, M. (777) 13
Ikeda, T., see Tanaka, M. (777) 13
Itakura, T., see Nakao, N. (777) 202

Jiao, S., see Lapchak, P.A. (777) 153

Kerr, R., see Pollock, R. (777) 22
Kits, K.S., see Van Tol-Steye, H. (777) 119
Kobayashi, M., Ohno, M., Shibata, S., Yamamoto, T. and Watanabe, S.
Concurrent blockade of β-adrenergic and muscarinic receptors suppresses synergistically long-term potentiation of population spikes in the rat hippocampal CA1 region (777) 242
Kondo, H., see Dong-Ryul, L. (777) 228
Krieglstein, J., see Ahlemeyer, B. (777) 179

Lamarre, Y., see Courtemanche, R. (777) 170
Lapchak, P.A., Araujo, D.M., Hilt, D.C., Sheng, J. and Jiao, S.
Adenoviral vector-mediated GDNF gene therapy in a rodent lesion model of late stage Parkinson's disease (777) 153
Leibowitz, K.L., see Wang, J. (777) 231
Levy, A., see Dachir, S. (777) 251
Lodder, J.C., see Van Tol-Steye, H. (777) 119

Martin, S., see Gaytan, O. (777) 1
Maxwell, D.J., see Pollock, R. (777) 22
Miura, M., see Sugama, S. (777) 95

Nakai, K., see Nakao, N. (777) 202
Nakano, K., see Dong-Ryul, L. (777) 228
Nakao, N., Nakai, K. and Itakura, T.
Metabolic inhibition enhances selective toxicity of L-DOPA toward mesencephalic dopamine neurons in vitro (777) 202
Nicot, A., Ogawa, S., Berman, Y., Carr, K.D. and Pfaff, D.W.
Effects of an intrahypothalamic injection of antisense oligonucleotides for pre-proenkephalin mRNA in female rats: evidence for opioid involvement in lordosis reflex (777) 60
Nomura, M., see Tanaka, J. (777) 237

Ogawa, S., see Nicot, A. (777) 60
Ohno, M., see Kobayashi, M. (777) 242
Okada, J., see Sugama, S. (777) 95
Ostojić, Z.S., Ruždijić, S., Car, M., Rakić, L. and Veskov, R.
The connection between absence-like seizures and hypothermia induced by penicillin: possible implication on other animal models of petit mal epilepsy (777) 86
Özer, H., Ekinci, A.C. and Starr, M.S.
Dopamine D_1- and D_2-dependent catalepsy in the rat requires functional NMDA receptors in the corpus striatum, nucleus accumbens and substantia nigra pars reticulata (777) 51

Pallàs, M., see Camins, A. (777) 69
Peeters, T.L., see Depoortere, I. (777) 103
Pévet, P., see Ribelayga, C. (777) 247
Pfaff, D.W., see Nicot, A. (777) 60
Planta, R.J., see Van Tol-Steye, H. (777) 119
Platt, B. and Withington, D.J.
Paired-pulse depression in the superficial layers of the guinea-pig superior colliculus (777) 131
Pollock, R., Kerr, R. and Maxwell, D.J.
An immunocytochemical investigation of the relationship between substance P and the neurokinin-1 receptor in the lateral horn of the rat thoracic spinal cord (777) 22

Queen, S.A., Chen, M.J. and Feeney, D.M.
d-Amphetamine attenuates decreased cerebral glucose utilization after unilateral sensorimotor cortex contusion in rats (777) 42

Rakić, L., see Ostojić, Z.S. (777) 86
Résibois, A., see Dassesse, D. (777) 187
Ribelayga, C., Pévet, P. and Simonneaux, V.
Adrenergic and peptidergic regulations of hydroxyindole-*O*-methyltransferase activity in rat pineal gland (777) 247
Ruždijić, S., see Ostojić, Z.S. (777) 86

Salvi, R.J., see Hashino, E. (777) 75
Schapira, A.H.V., see Seaton, T.A. (777) 110
Schmidt, B., see Dachir, S. (777) 251
Schober, R., see Thal, D.R. (777) 223
Seaton, T.A., Cooper, J.M. and Schapira, A.H.V.
Free radical scavengers protect dopaminergic cell lines from apoptosis induced by complex I inhibitors (777) 110
Sheng, J., see Lapchak, P.A. (777) 153
Shero, M., see Hashino, E. (777) 75
Shibasaki, T., see Yamauchi, N. (777) 140
Shibata, S., see Kobayashi, M. (777) 242
Shimamune, S., see Tanaka, J. (777) 237
Shimokawa, N., see Sugama, S. (777) 95
Simonneaux, V., see Ribelayga, C. (777) 247
Sparrow, H., see Young, M.R. (777) 161
Sperber, E.F., see Germano, I.M. (777) 219
Starr, M.S., see Özer, H. (777) 51
Steffens, A.B., see Van Dijk, G. (777) 147
Strubbe, J.H., see Van Dijk, G. (777) 147
Sugama, S., Shimokawa, N., Okada, J. and Miura, M.
In vitro study of H^+-sensitive neurons in the ventral medullary surface of neonate rats (777) 95
Sun, G.-D., see Courtemanche, R. (777) 170
Sureda, F.X., see Camins, A. (777) 69
Swann, A., see Gaytan, O. (777) 1

Tanaka, J., Hayashi, Y., Shimamune, S. and Nomura, M.
Ascending pathways from the nucleus of the solitary tract to the subfornical organ in the rat (777) 237
Tanaka, M., Ikeda, T., Hayashi, S., Iijima, N., Amaya, F., Hisa, Y. and Ibata, Y.
Nitrergic neurons in the medial amygdala project to the hypothalamic paraventricular nucleus of the rat (777) 13
Thal, D.R., Schober, R. and Birkenmeier, G.
The subunits of α_2-macroglobulin receptor/low density lipoprotein receptor-related protein, native and transformed α_2-macroglobulin and interleukin 6 in Alzheimer's disease (777) 223

Van Assche, G., see Depoortere, I. (777) 103
Van der Werf, Y., see Van Dijk, G. (777) 147
Van Dijk, G., De Groote, C., Chavez, M., Van der Werf, Y., Steffens, A.B. and Strubbe, J.H.
Insulin in the arcuate nucleus of the hypothalamus reduces fat consumption in rats (777) 147
Van Heerikhuizen, H., see Van Tol-Steye, H. (777) 119
Van Tol-Steye, H., Lodder, J.C., Planta, R.J., Van Heerikhuizen, H. and Kits, K.S.
Convergence of multiple G-protein-coupled receptors onto a single type of potassium channel (777) 119
Van Twillert, M.G.H., see Blom, M.A.A. (777) 210
Veerhuis, R., see Blom, M.A.A. (777) 210
Veskov, R., see Ostojić, Z.S. (777) 86

Wakabayashi, I., see Yamauchi, N. (777) 140
Wang, J. and Leibowitz, K.L.
Central insulin inhibits hypothalamic galanin and neuropeptide Y gene expression and peptide release in intact rats (777) 231
Watanabe, S., see Kobayashi, M. (777) 242
Withington, D.J., see Platt, B. (777) 131

Yamamoto, T., see Kobayashi, M. (777) 242
Yamauchi, N., Shibasaki, T., Wakabayashi, I. and Demura, H.
Brain β-endorphin and other opioids are involved in restraint stress-induced stimulation of the hypothalamic–pituitary–adrenal axis, the sympathetic nervous system, and the adrenal medulla in the rat (777) 140
Young, M.R., Fleetwood-Walker, S.M., Dickinson, T., Blackburn-Munro, G., Sparrow, H., Birch, P.J. and Bountra, C.
Behavioural and electrophysiological evidence supporting a role for group I metabotropic glutamate receptors in the mediation of nociceptive inputs to the rat spinal cord (777) 161